

A hybrid air purifier and dehumidifier for the best possible indoor air.

Wood's AD30 hybrid is revolutionary innovation that combines Wood's high standards for energy-effecient and reliable dehumidification, with Wood's unique Swedish filtration system and give you the best possible indoor air. Thanks to the patented filter system Active ION HEPA, manufactured in Sweden, AD30 Hybrid gives you an effective air cleaning-without compromising on power consumption or noise levels.



Wood's AD-30 Hybrid

AD30 Hybrid is reliable, efficient and energy-saving. AD30 Hybrid protects against moisture and mold damage and also serve you with an air purifier in the same machine. AD30 Hybrid is one of the smartest hybrid dehumidifiers / air purifier on the market.

Advantages:

- Powerful and energy efficient dehumidification.
- Effective air cleaning.
- Patented filtration technology
- Active ION HEPA filter- Made in Sweden
- Ionization of air particles for lower pressure drop of the filter.
- Air quality indicator-senses particle concentration and humidity level.
- Tilted air exhaust.
- Extra power for washing-drying.
- · Hose connection.
- Works only when necessary.

Specifications dehumidification

Recommended area 2 - 80 m² Capacity at 20°C & 70% RF 14 litres/day Capacity at 35°C & 80% RF 25 litres/day Power at 27°C & 60% RF 241 W Power at 30°C & 80% RF 290 W Fan speeds 4 Airflow 130-230 m³/h Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21 EAN 7332857500079	Max. working area	120 m ²
Capacity at 35°C & 80% RF 25 litres/day Power at 27°C & 60% RF 241 W Power at 30°C & 80% RF 290 W Fan speeds 4 Airflow 130-230 m³/h Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Recommended area	2 - 80 m ²
Power at 27°C & 60% RF 241 W Power at 30°C & 80% RF 290 W Fan speeds 4 Airflow 130-230 m³/h Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Capacity at 20°C & 70% RF	14 litres/day
Power at 30°C & 80% RF 290 W Fan speeds 4 Airflow 130-230 m³/h Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Capacity at 35°C & 80% RF	25 litres/day
Fan speeds 4 Airflow 130-230 m³/h Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Power at 27°C & 60% RF	241 W
Airflow 130-230 m³/h Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Power at 30°C & 80% RF	290 W
Speed 1 130 m³/h Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Fan speeds	4
Speed 2 145 m³/h Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Airflow	130-230 m ³ /h
Speed 3 160 m³/h Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Speed 1	130 m³/h
Speed 4 220 m³/h Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Speed 2	145 m³/h
Working interval +5 to +35°C Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Speed 3	160 m³/h
Tank volume 4 litres Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Speed 4	220 m³/h
Dimensions (mm) 343x300x617 Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Working interval	+5 to +35°C
Weight 16 kg Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Tank volume	4 litres
Soundlevel 46 dB Cooling media freon free R134A (200g) IP Rating IP21	Dimensions (mm)	343x300x617
Cooling media freon free R134A (200g) IP Rating IP21	Weight	16 kg
IP Rating IP21	Soundlevel	46 dB
	Cooling media freon free	R134A (200g)
EAN 7332857500079	IP Rating	IP21
	EAN	7332857500079

Specifications purification

Fan speed	5
Airflow	42-310 m ³ /h
Speed 1	42 m³/h
Speed 2	130 m³/h
Speed 3	200 m³/h
Speed 4	230 m³/h
Speed 5	310 m³/h
Degree of purification	99,98%
Power	5,5-44W
Filter	Active ION HEPA

Read more about air cleaner and dehumidifier and see more products woods.se