

# New WCD2Pro dehumidifier



# Wood's®

## Stackable professional dehumidifier for large and open spaces!

### - Made in Sweden



- Environmentally friendly refrigerant R290 Removes excess moisture and bad odor
- Gives you a significant heat pump effect (more energy out than in)!
- Effective air purification
- i-EcoDefrost, intelligent defrosting system
- Made of recyclable chassis
- Professional dehumidification
- Easy to maintain
- Reliable
- The working temperature range is from to + 2C up to + 35 ° C
- Energy saving
- Long service life
- WCD2Pro builds on our bestsellers updated on 40 points and is part of the new Pro range
- WCD2Pro provides faster defrosting and better energy efficiency
- Stackable with a handle that can be folded down
- Made in Sweden



**R290**



Wood's are meeting future EU rules on environmentally friendly gases. With new technology and HFC-free refrigerant R290.

## WCD2Pro - a robust professional dehumidifier for buildings, large open spaces and storage rooms

WCD2 is a powerful professional dehumidifier for warehouses and industries. The working temperature range has been broadened using a new intelligent defrost system, i-EcoDefrost, from + 2 ° C up to + 35 ° C., The design of WCD2Pro is well proven and has high reliability. This makes it reliable and easy to maintain. All exposed parts are adapted for use in aggressive environments. WCD2Pro is very energy efficient because it is based on the same principle as a heat pump. In the process of this professional dehumidifier, no unnecessary heat is lost as the same air circulates all the time. Therefore, the method is easy to control and very energy-efficient.

[www.woods.se](http://www.woods.se)

\*Technical changes and improvements may occur. All values are approximate and may vary depending on external circumstances such as temperature, ventilation and humidity. \*



**Robust wheels and handle**



**Folding handle**



**Stackable and easy to carry**



**Washable permanent filter**



**Hour counter**

**Humidistat**

**Fan mode 1, 2**

**Specification WCD2Pro**

Max. working area	140 m <sup>2</sup>
Air flow	190-336m <sup>3</sup> /h
Inbound fuse	min. 10 A
Cable length	2,5m
Capacity at 20°C & 70% RH	11 liter
Capacity at 30°C & 80% RH	19 liter
Power at 20°C & 70% RH	320 W
Power at 30°C & 80% RH	425 W
Working interval temp.	+2 to +35°C
Tank volume	11,4 liter
Fan speeds	2
Dimensions LxWxH	508x464x595 mm
Weight	26 kg
Noise level	37-56 dB
Cooling media	R290
Charge	110 g
Rated voltage	230V/50Hz
Protection class	IPX1
EAN code	7332587500642

\*Technical changes and improvements may occur. All values are approximate and may vary depending on external circumstances such as temperature, ventilation and humidity.

- \* R-290 gas, environmentally friendly gas that now is implemented in WCD2Pro dehumidifier
- \* WCD2Pro can be supplemented with condensate drain pump system.
- \* Spark safe
- \* Low voltage internally in the system.
- \* Developed, designed and manufactured in Sweden.

\*We believe in the cutting edge of environmental directives, and now Wood's has developed an option that is at the forefront of EU's rules on environmentally friendly gases that come into force 2020.



Design: Roger Olsen